INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 2, 1962

SUBJECT INDEX

Abstracts of Papers Presented at First International Congress on Experimental Mechanics—161–164 (June).
Abstracts of Papers Presented at International Symposium on Photoelasticity—165–169 (June).
Accuracy of Thermocouples in Radiant-heat Testing—F. J. WHITE, 204–210 (July).
Apparatus for Studying Cyclic Stress-strain and Fatigue at Elevated Temperatures—R. A. WILLEM and J. D. MORROW, 48–54 (Feb.).
Autofrettage of High-strength Cylinders, New Approach to the—T. E. DAVIDSON, C. S. BARTON, A. N. REINER and D. P. KENDALL, 33–40 (Feb.).

Bar Subjected to Longitudinal Impact, Measurement of Internal Strains in a—W. E. BAKER and R. C. DOVE, 307–311 (Oct.).
Beams, Bending in, Electric Circuits for the Simulation of—S. FRIEBERG, 24–32 (Jan.).
Bending Stresses in the Bolts of a Bolted Assembly—E. RADZIMOVSKY and R. KASUBA, 264–270 (Sept.).
Birefringent Coating, Fringe Multiplication and Thickness Effects in—E. E. DAY, A. S. KOBAYASHI and C. N. LARSON, 115–121 (April).
Birefringent-coating Method, Stress Analysis of Rocket-motor Case by—F. ZANDMAN, M. WATTER and S. S. REDNER, 215–221 (July).
Birefringent Coatings, Reinforcing Effect of—F. ZANDMAN, S. S. REDNER and E. I. RIEGNER, 55–64 (Feb.).
Bolted Assembly, Bending Stresses in the Bolts of a—E. RADZIMOVSKY and R. KASUBA, 264–270 (Sept.).
Bonded Strain Gages, Transverse Sensitivity of—C. T. WU, 338–344 (Nov.).
Brittle Coatings, Extending the Stress-analysis Range of—V. J. PARKS, K. E. HOFER and A. J. DURELLI, 137–141 (May).
Brittle-material Failures as Indicators of Stress-concentration Factors—A. J. DURELLI and R. H. JACOBSON 65–74 (March).

Calibration of Stresscoat by Impact—G. W. BROWN and D. M. CUNNINGHAM, 150–154 (May).
Circuit-board Assembly, Vibrations of a—R. W. LITTLE, W. STOLZ and J. M. SCHMERDA, 316–320 (Oct.).
Compression Tests of Sandwich Panels with Facings at Different Temperatures—C. C. CHANG and M. J. TIMMONS, JR., 249–256 (Aug.).
Concepts of the Photoelastic Stress Gage—F. ZANDMAN, 225–233 (Aug.).
Core Method, The—D. POST, 89–90 (March).

Development of Scaling Laws for Explosive Forming—A. A. EZRA and F. A. PENNING, 234–239 (Aug.).

Effects of Thermal Impact on a Thin Spherical Cap—U. S. LINDHOLM, 303–306 (Oct.).
Efficiency of a Corrugated Shell as a Radial Spring—J. H. MEIER, 312–315 (Oct.).
Elastic Stability of Circular Cylindrical Shells Stabilized by a Soft Elastic Core—W. S. GOREE and W. A. NASH, 142–149 (May).
Electric Circuits for the Simulation of Bending in Beams—S. FRIEBERG, 24–32 (Jan.).
End Supports, Optimum, for a Vibrating Beam, An Experimental Investigation of—J. F. SPRINGFIELD and J. P. RANEY, 366–372 (Dec.).
Evaluation of High-temperature Strain Gages for Enrico Fermi Reactor Vessel—F. R. BEYER and J. O. SMITH, 81–88 (March).
Experimental Analysis of Perforated Torispherical Shells Under External Pressure—R. D. CHIPMAN and J. E. MAHLMEISTER, 257–263 (Sept.).
Experimental Investigation of Optimum End Supports for a Vibrating Beam—J. F. SPRINGFIELD and J. P. RANEY, 366–372 (Dec.).
Experimental Investigation of Stresses in a Ceramic-to-metal Brazed Joint—J. E. INGE and J. E. SWANSON, 289–295 (Oct.).
Experimental Investigation of the Vibration-isolation Characteristic of Sawdust—A. EZZAT, 274–277 (Sept.).
Experimental Means of Analyzing Stresses and Strains in Rocket Propellant Grains—A. J. DURELLI, 102–109 (April).
Experimental Stress Analysis by Strain Gages in Japan, Present State of—M. NARUOKA, 11A-15A (June).†
Experimental Stress Analysis in the Design of a Liquid-hydrogen Pump Rotor—E. K. LYNN, 19A–23A (Dec.).*
Experimental Study of Dynamic Plasticity at Elevated Temperatures—J. F. BELL, 181–186 (June).
Extending the Stress-analysis Range of Brittle Coatings—V. J. PARKS, K. E. HOFER and A. J. DURELLI, 137–141 (May).

Fatigue and Static Strength of Notched and Unnotched Aluminum-alloy and Steel Specimens—R. E. WHALEY, 329–334 (Nov.).
Fatigue, Low-cycle, in Small Turbines,—G. SORENSON and H. R. CLEMETT, 353–358 (Dec.).
Fatigue at Elevated Temperatures, Apparatus for Studying Cyclic Stress-strain and—R. A. WILLEM and J. D. MORROW, 48–54 (Feb.).
Fatigue Testing of Thin Tapes—H. PIH and A. T. SHALKEY, 211–214 (July).
Fatigue Testing, Resonant-vibration—G. P. WOZNEY, 1-8 (Jan.).
Filter for 5461 Å Green, Monochromatic—D. R. NAVARATNA, 191–192 (June).
Fringe Multiplication and Thickness Effects in Birefringent Coating—E. E. DAY, A. S. KOBAYASHI and C. N. LARSON, 115–121 (April).

Gyroscopic Forces, Static Simulation for Deflections of a Compressor Disk by—R. COHEN and R. C. CORLEY, JR., 97–101 (April).

High-temperature Tensile and Creep Tester for Wire—B. R. SINWELL, 176–180 (June).
HNPF Loading-face Shield, Stress Analysis of—R. D. CHIPMAN, M. D. LYNCH and R. M. PETERSON, 193–203(July).
Hysteretic Damping of Structural Materials Under Biaxial Dynamic Stresses—J. W. WHITTIER, 321–328 (Nov.).

International Symposium on Photoelasticity, Abstracts of Papers Presented at—165–169 (June).
Isochromatic Fringes, Photographic Method to Sharpen and Double—J. W. DALLEY and F. J. AHIMAZ, 170–175 (June).

PUBLISHED BY SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE, WESTPORT, CONN.

Linear-movement Air Gage for Detection of Concrete-bond Failure—A. D. M. LEWIS and J. H. MOORE, 335–337 (Nov.).
Low-cycle Fatigue in Small Turbines—G. SORENSON and H. R. CLEMETT, 353–358 (Dec.).

Magnitudes of Strain-gaging Errors—E. C. CLARK and G. C. HAMMOND, 187–189 (June).
Measurement of Internal Strains in a Bar Subjected to Longitudinal Impact—W. E. BAKER and R. C. DOVE, 307–311 (Oct.).
Measurement of Thermal Stresses Within an Experimental Nuclear-reactor Vessel Head—G. A. BREWER and J. D. INGHAM, 9–14 (Jan.).
Mechanical Evaluation of Gas-turbine Blades in Their Actual Centrifugal Field—R. F. FRENCH, 122–128 (April).
Method of Determining Residual Stresses in a Biaxial Stress Field—E. J. ZAPEL, 245–248 (Aug.).
Monochromatic Filter for 5461 Å Green—D. R. NAVARATNA, 191–192 (June).
Multiphase Theory of Plastics—A. KUSKE, 278–280 (Sept.).

New Approach to the Autofrettage of High-strength Cylinders—T. E. DAVIDSON, C. S. BARTON, A. N. REINER and D. P. KENDALL, 33–40 (Feb.).
New Model Materials for Photoelasticity and Photoplasticity—K. ITO, 373–376 (Dec.).
Nuclear-reactor Vessel Head, Measurement of Thermal Stresses Within an Experimental—G. A. BREWER and J. D. INGHAM, 9–14 (Jan.).

Observation and Evaluation of Local Buckling by Photoelastic-strip Method—W. L. BINGHAM, 296–302 (Oct.).
Observation and Measurement of Behavior of Porous Materials when Rapidly Compressed—R. H. STRESAU and H. S. NAPADENSKY, 15–22 (Jan.). Discussion—A. J. DURELLI, 22 (Jan.).
Operating Stresses in Buried Pipeline Found by Weldable Strain Gages—G. BREWER and L. J. WEYMOUTH, 13A-15A (Sept.).*

Photoelastic-coating Method, Stress Distribution About a Slowly Growing Crack Determined by the—W. W. GERBERICH, 359–365 (Dec.).
Photoelastic Coatings, Reflection Polariscope for Photography of—T. SLOT, 41–47 (Feb.).
Photoelastic Investigation of Stresses in Bars with Reinforced Semicircular Notches under Bending—H. SHIMADA, 75–80 (March).
Photoelastic Stress Gage, Concepts of the—F. ZANDMAN, 225–233 (Aug.).
Photoelastic-strip Method, Observation and Evaluation of Local Buckling by—W. L. BINGHAM, 296–302 (Oct.).
Photoelastic Study of Stresses in Hydrostatically Loaded Cylinders with Noncircular External Boundaries—W. P. T. NORTH and J. B. MANTLE, 91–96 (March).
Photoelastic Study of Stresses in Hydrostatically Loaded Cylinders with Noncircular External Boundaries—W. P. T. NORTH and J. B. MANTLE, 91–96 (March).
Photoelasticity, Abstracts of Papers Presented at International Symposium on—165–169 (June).
Photoelasticity and Photoplasticity, New Model Materials for—K. ITO, 373–376 (Dec.).
Photoelasticity, Dynamic, Some New Techniques for—P. D. FLYNN, J. C. FEDER, J. T. GILBERT and A. A. ROLL, 159–160 (May).
Photoplasticity, New Model Materials for Photoelasticity and,—K. ITO, 373–376 (Dec.).
Photographic Method to Sharpen and Double Isochromatic Fringes—J. W. DALLEY and F. J. AHIMAZ, 170–175 (June).
Photography of Photoelastic Coatings, Reflection Polariscope for—T. SLOT, 41–47 (Feb.).
Plasticity, Dynamic, at Elevated Temperatures, Experimental Study of—J. F. BELL, 181–186 (June).
Plastics, Multiphase Theory of—A. KUSKE, 278–280 (Sept.).
Polariscope, Reflection, for Photography of Photoelastic Coatings—T. SLOT, 41–47 (Feb.).
Polymer Blends as a Tool for Experimental Stress Analysis, Stress Whitenings of—R. H. SHOULBERG and E. R. LANG, 271–273 (Sept.).
Pump Rotor, Liquid-hydrogen, Experimental Stress Analysis in the Design of a—E. K. LYNN, 19A–23A (Dec.).*
Present State of Experimental Stress Analysis by Strain Gages in Japan—M. NARUOKA, 11A–15A (June).†

Reduction of Strain Rosettes in the Plastic Range—C. S. ADES, 345–349 (Nov.).
Reinforcing Effect of Birefringent Coatings—F. ZANDMAN, S. S. REDNER and E. I. RIEGNER, 55–64 (Feb.).
Residual Stresses in Shot-peened Aluminum Bars—M. J. DONACHIE, JR., and J. T. NORTON, 222–224 (July).
Resonant-vibration Fatigue Testing—G. P. WOZNEY, 1–8 (Jan.).
Rocket-motor Case, Stress Analysis of, by Birefringent-coating Method,—F. ZANDMAN, M. WATTER and S. S. REDNER, 215–221 (July).

Sandwich Panels with Facings at Different Temperatures, Compression Tests of—C. C. CHANG and M. J. TIMMONS, JR., 249–256 (Aug.).
Scaling Laws, Development of, for Explosive Forming—A. A. EZRA and F. A. PENNING, 234–239 (Aug.).
Selection of Gages for Strain Measurement at Interior Points—R. C. DOVE, R. I. BRASIER and W. E. BAKER, 189–190 (June).
Shell, Corrugated, as a Radial Spring, Efficiency of a—J. H. MEIER, 312–315 (Oct.).
Shells, Perforated Torispherical, Under External Pressure, Experimental Analysis of—R. D. CHIPMAN and J. E. MAHLMEISTER, 257–263 (Sept.).
Shells, Circular Cylindrical, Stabilized by a Soft Elastic Core, Elastic Stability of—W. S. GOREE and W. A. NASH, 142–149 (May).
Shrinkage Stresses Around Rigid Inclusions—I. M. DANIEL and A. J. DURELLI, 240–244 (Aug.).
Some New Techniques for Dynamic Photoelasticity—P. D. FLYNN, J. C. FEDER, J. T. GILBERT and A. A. ROLL, 159–160 (May).
Spring, Radial, Efficiency of a Corrugated Shell as a—J. H. MEIER, 312–315 (Oct.).
Static Simulation for Deflections of a Compressor Disk by Gyroscopic Forces—R. COHEN and R. C. CORLEY, JR., 97–101 (April).
Static Strength of Notched and Unnotched Aluminum-alloy and Steel Specimens, Fatigue and—R. E. WHALEY, 329–334 (Nov.).
Strain Gages, High-temperature, for Enrico Fermi Reactor Vessel, Evaluation of—F. R. BEYER and J. O. SMITH, 81–89 (March).
Strain Gages in Japan, Present State of Experimental Stress Analysis by—M. NARUOKA, 11A-15A (June).†
Strain-gaging Errors, Magnitudes of—E. C.CLARK and G. C. HAMMOND, 187–189 (June).
Strain Gages, Weldable, Operating Stresses in Buried Pipeline Found by—G. BREWER and L. J. WEYMOUTH, 13A-15A (Sept.).*
Strain Measurement at Interior Points, Selection of Gages for—R. C. DOVE, R. I. BRASIER and W. E. BAKER, 189–190 (June).
Strain-gage Technique for Measuring Internal Strains in Artificial Solids—S. SERDENGECTI, J. A. HENDRICKSON and L. SKJELBREIA, 129–136 (May).
Strain Measurements on Hydrostatically Stressed Materials Using Differential-transformer Transducers—C. C. SURLAND, 110–114 (April).
Strains, Internal, in Artificial Solids, Strain-gage Technique for Measuring—S. SERDENGECTI, J. A. HENDRICKSON and L. SKJELBREIA, 129–136 (May).
Strain Rosettes in the Plastic Range, Reduction of—C. S. ADES, 345–349 (Nov.).
Strain, Simulated, Why Calculate—R. D. BEHR, 350–352 (Nov.).
Stress Analysis of HNPF Loading-face Shield—R. D. CHIPMAN, M. D. LYNCH and R. M. PETERSON, 193–203 (July).
Stress Analysis of Rocket-motor Case by Birefringent-coating Method—F. ZANDMAN, M. WATTER and S. S. REDNER, 215–221 (July).
Stress-analysis Range of Brittle Coatings, Extending the—V. J. PARKS, K. E. HOFER and A. J. DURELLI, 137–141 (May).
Stress Distribution About a Slowly Growing Crack Determined by the Photoelastic Coating Method—W. W. GERBERICH, 359–365 (Dec.).
Stresscoat, Calibration of, by Impact—G. W. BROWN and D. M. CUNNINGHAM, 150–154 (May).

Stress-concentration Factors, Brittle-material Failures as Indicators of—A. J. DURELLI and R. H. JACOBSON, 65–74 (March).
Stress Gage, Concepts of the Photoelastic—F. ZANDMAN, 225–233 (Aug.).
Stress, Residual, in Disks from Turbine-rotor Forgings, Measurement of—D. R. MACK, 155–158 (May).
Stress-strain and Fatigue at Elevated Temperatures, Apparatus for Studying Cyclic—R. A. WILLEM and J. D. MORROW, 48–54 (Feb.).
Stress Whitening of Polymer Blends as a Tool for Experimental Stress Analysis—R. H. SHOULBERG and E. R. LANG, 271–273 (Sept.).
Stresses and Strains in Rocket Propellant Grains, Experimental Means of Analyzing—A. J. DURELLI, 102–109 (April).
Stresses in Bars with Reinforced Semicircular Notches under Bending, Photoelastic Investigation of—H. SHIMADA, 75–80 (March).
Stresses, Bending, in the Bolts of a Bolted Assembly—E. RADZIMOVSKY and R. KASUBA, 264–270 (Sept.).
Stresses in a Deep Beam with a Central Concentrated Load (June 1961, 192–198)—Discussion—K. T. SUNDARA RAJA IYENGAR and D. R. NAVARATNA, 22–23 (Jan.).
Stresses, Experimental Investigation of, in a Ceramic-to-metal Brazed Joint—J. E. INGE and J. E. SWANSON, 289–295 (Oct.).
Stresses in Hydrostatically Loaded Cylinders with Noncircular External Boundaries, Photoelastic Study of—W. P. T. NORTH and J. B. MANTLE, 91–96 (March).
Stresses, Residual, in a Biaxial Stress Field, Method of Determining—E. J. ZAPEL, 245–248 (Aug.).
Stresses, Thermal, Within an Experimental Nuclear-reactor Vessel Head, Measurement of—G. A. BREWER and J. D. INGHAM, 9–14 (Jan.).
Stresses, Shrinkage, Around Rigid Inclusions—I. M. DANIEL and A. J. DURELLI, 240–244 (Aug.).
Structural Materials Under Biaxial Dynamic Stresses, Hysteretic Damping of—J. W. WHITTIER, 321–328 (Nov.).

Tensile and Creep Tester for Wire, High-temperature—B. R. SINWELL, 176–180 (June).
Testing, Radiant-heat, Accuracy of Thermocouples in—F. J. WHITE, 204–210 (July).
Thermocouples, Accuracy of, in Radiant-heat Testing—F. J. WHITE, 204–210 (July).
Tapes, Thin, Fatigue Testing of—H. PIH and A. T. SHALKEY, 211–214 (July).
Transducers, Differential-transformer, Strain Measurements on Hydrostatically Stressed Materials Using—C. C. SURLAND, 110–114 (April).
Transverse Sensitivity of Bonded Strain Gages—C. T. WU, 338–344 (Nov.).
Turbines, Low-cycle Fatigue in Small—G. SORENSON and H. R. CLEMETT, 353–358 (Dec.).
Turbine-rotor Forgings, Measurement of Residual Stress in Disks from—D. R. MACK, 155–158 (May).

Vibration-isolation Characteristic of Sawdust, Experimental Investigation of the—A. EZZAT, 274–277 (Sept.).
Vibrations of a Circuit-board Assembly—R. W. LITTLE, W. STOLZ and J. M. SCHMERDA, 316–320 (Oct.).

Wire, High-temperature Tensile and Creep Tester for—B. R. SINWELL, 176–180 (June).
Why Calculate Simulated Strain?—R. D. BEHR, 350–352 (Nov.).

AUTHOR INDEX

ADES, C. S.—Reduction of Strain Rosettes in the Plastic Range, 345–349 (Nov.).
AHIMAZ, F. J.—Photographic Method to Sharpen and Double Isochromatic Fringes, 170–175 (June).

BAKER, W. E.—Measurement of Internal Strains in a Bar Subjected to Longitudinal Impact, 307–311 (Oct.).
Selection of Gages for Strain Measurement at Interior Points, 189–190 (June).
BARTON, C. S.—New Approach to the Autofrettage of High-strength Cylinders, 33–40 (Feb.).
BEHR, R. D.—Why Calculate Simulated Strain? 350–352 (Nov.).
BELL, J. F.—Experimental Study of Dynamic Plasticity at Elevated Temperatures, 181–186 (June).
BEYER, F. R.—Evaluation of High-temperature Strain Gages for Enrico Fermi Reactor Vessel, 81-88 (March).
BINGHAM, W. L.—Observation and Evaluation of Local Buckling by Photoelastic-strip Method, 296–302 (Oct.).
BRASIER, R. I.—Selection of Gages for Strain Measurement for Interior Points, 189–190 (June).
BREWER, G. A.—Measurement of Thermal Stresses Within an Experimental Nuclear-reactor Vessel Head, 9–14 (Jan.).
Operating Stresses in Buried Pipeline Found by Weldable Strain Gages, 13A-15A (Sept.).*
BROWN, G. W.—Calibration of Stresscoat by Impact, 150–154 (May).

CHANG, C. C.—Compression Tests of Sandwich Panels with Facings at Different Temperatures, 249–256 (Aug.).
CHIPMAN, R. D.—Experimental Analysis of Perforated Torispherical Shells Under External Pressure, 257–263 (Sept.).
Stress Analysis of HNPF Loading-face Shield, 193–203 (July).
CLARK, E. C.—Magnitudes of Strain-gaging Errors, 187–189 (June).
CLEMETT, H. R.—Low-cycle Fatigue in Small Turbines, 353–358 (Dec.).
COHEN, R.—Static Simulation for Deflections of a Compressor Disk by Gyroscopic Forces, 97–101 (April).
CORLEY, JR., R. C.—Static Simulation for Deflections of a Compressor Disk by Gyroscopic Forces, 97–101 (April).
CUNNINGHAM, D. M.—Calibration of Stresscoat by Impact, 150–154 (May).

DALLEY, J. W.—Photographic Method to Sharpen and Double Isochromatic Fringes, 170–175 (June).
DANIEL, I. M.—Shrinkage Stresses Around Rigid Inclusions, 240–244 (Aug.).
DAVIDSON, T. E.—New Approach to the Autofrettage of High-strength Cylinders, 33–40 (Feb.).
DAY, E. E.—Fringe Multiplication and Thickness Effects in Birefringent Coating, 115–121 (April).
DONACHIE, JR., M. J.—Residual Stresses in Shot-peened Aluminum Bars, 222–224 (July).
DOVE, R. C.—Measurement of Internal Strains in a Bar Subjected to Longitudinal Impact, 307–311 (Oct.).
Selection of Gages for Strain Measurement at Interior Points, 189–190 (June).
DURELLI, A. J.—Brittle-material Failures as Indicators of Stress-concentration Factors, 65–74 (March).
Experimental Means of Analyzing Stresses and Strains in Rocket Propellant Grains, 102–109 (April).
Extending the Stress-analysis Range of Brittle Coatings, 137–141 (May).
Shrinkage Stresses Around Rigid Inclusions, 240–244 (Aug.).

EZRA, A. A.—Development of Scaling Laws for Explosive Forming, 234–239 (Aug.).
EZZAT, A.—Experimental Investigation of the Vibration-isolation Characteristic of Sawdust, 274–277 (Sept.).

FEDER, J. C.—Some New Techniques for Dynamic Photoelasticity, 159–160 (May).
FLYNN, P. D.—Some New Techniques for Dynamic Photoelasticity, 159–160 (May).
FRENCH, R. F.—Mechanical Evaluation of Gas-turbine Blades in Their Actual Centrifugal Field, 122–128 (April).
FRIEBERG, S.—Electric Circuits for the Simulation of Bending in Beams, 24–32 (Jan.).

GERBERICH, W. W.—Stress Distribution About a Slowly Growing Crack Determined by the Photoelastic-coating Method, 359–365 (Dec.).
GILBERT, J. T.—Some New Techniques for Dynamic Photoelasticity, 159–160 (May).
GOREE, W. S.—Elastic Stability of Circular Cylindrical Shells Stabilized by a Soft Elastic Core, 142–149 (May).

HAMMOND, G. C.—Magnitudes of Strain-gaging Errors, 187–189 (June).
HENDRICKSON, J. A.—Strain-gage Technique for Measuring Internal Strains in Artificial Solids, 129–136 (May).
HOFER, K. E.—Extending the Stress-analysis Range of Brittle Coatings, 137–141 (May).

INGE, J. E.—Experimental Investigation of Stresses in a Ceramic-to-metal Brazed Joint, 289–295 (Oct.).
INGHAM, J. D.—Measurement of Thermal Stresses Within an Experimental Nuclear-reactor Vessel Head, 9-14 (Jan.).
ITO, K.—New Model for Photoelasticity and Photoplasticity, 373–376 (Dec.).
IYENGAR, K. T. S. R.—Discussion—Stresses in a Deep Beam with a Central Concentrated Load (June 1961, 192–198), 22–23 (Jan.).

JACOBSON, R. H.—Brittle-material Failures as Indicators of Stress-concentration Factors, 65–74 (March).

KASUBA, R.—Bending Stresses in the Bolts of a Bolted Assembly, 264–270 (Sept.).
KENDALL, D. P.—New Approach to the Autofrettage of High-strength Cylinders, 33–40 (Feb.).
KOBAYASHI, A. S.—Fringe Multiplication and Thickness Effects in Birefringent Coating, 115–121 (April).
KUSKE, A.—Multiphase Theory of Plastics, 278–280 (Sept.).

LANG, E. R.—Stress Whitening of Polymer Blends as a Tool for Experimental Stress Analysis, 271–273 (Sept.).
LARSON, C. N.—Fringe Multiplication and Thickness Effects in Birefringent Coating, 115–121 (April).
LEWIS, A. D. M.—Linear-movement Air Gage for Detection of Concrete-bond Failure, 335–337 (Nov.).
LINDHOLM, U. S.—Effects of Thermal Impact on a Thin Spherical Cap, 303–306 (Oct.).
LITTLE, R. W.—Vibrations of a Circuit-board Assembly, 316–320 (Oct.).
LYNCH, M. D.—Stress Analysis of HNPF Loading-face Shield, 193–203 (July).
LYNN, E. K.—Experimental Stress Analysis in the Design of a Liquid-hydrogen Pump Rotor, 19A-23A (Dec.).*

MACK, D. R.—Measurement of Residual Stress in Disks from Turbine-rotor Forgings, 155–158 (May).
MAHLMEISTER, J. E.—Experimental Analysis of Perforated Torispherical Shells Under External Pressure, 257–263 (Sept.).
MANTLE, J. B.—Photoelastic Study of Stresses in Hydrostatically Loaded Cylinders with Noncircular External Boundaries, 91–96 (March).
MEIER, J. H.—Efficiency of a Corrugated Shell as a Radial Spring, 312–315 (Oct.).
MOORE, J. H.—Linear-movement Air Gage for Detection of Concrete-bond Failure, 335–337 (Nov.).
MORROW, J. D.—Apparatus for Studying Cyclic Stress-strain and Fatigue at Elevated Temperatures, 48–54 (Feb.).

NAPADENSKY, H. S.—Observation and Measurement of Behavior of Porous Materials when Rapidly Compressed, 15–22 (Jan.). Discussion—A. J. DURELLI, 22 (Jan.).
NARUOKA, M.—Present State of Experimental Stress Analysis by Strain Gages in Japan, 11A-15A (June).†
NASH, W. A.—Elastic Stability of Circular Cylindrical Shells Stabilized by a Soft Elastic Core, 142–149 (May).
NAVARATNA, D. R.—Monochromatic Filter for 5461 A Green, 191–192 (June).
Discussion—Stresses in a Deep Beam with a Central Concentrated Load (June 1961, 192–198), 22–23 (Jan.).
NORTH, W. P. T.—Photoelastic Study of Stresses in Hydrostatically Loaded Cylinders with Noncircular External Boundaries, 91–96 (March).
NORTON, J. T.—Residual Stresses in Shot-peened Aluminum Bars, 222–224 (July).

PARKS, V. J.—Extending the Stress-analysis Range of Brittle Coatings, 137–141 (May).
PENNING, F. A.—Development of Scaling Laws for Explosive Forming, 234–239 (Aug.).
PETERSON, R. M.—Stress Analysis of HNPF Loading-face Shield, 193–203 (July).
PIH, H.—Fatigue Testing of Thin Tapes, 211-214 (July).
POST, D.—The Core Method, 89–90 (March).

RADZIMOVSKY, E.—Bending Stresses in the Bolts of a Bolted Assembly, 264–270 (Sept.).
RANEY, J. P.—Experimental Investigation of Optimum End Supports for a Vibrating Beam, 366–372 (Dec.).
REDNER, S. S.—Reinforcing Effect of Birefringent Coatings, 55-64 (Feb.).
Stress Analysis of Rocket-motor Case by Birefringent-coating Method, 215–221 (July).
REINER, A. N.—New Approach to the Autofrettage of High-strength Cylinders, 33–40 (Feb.).
RIEGNER, E. I.—Reinforcing Effect on Birefringent Coatings, 55–64 (Feb.).
ROLL, A. A.—Some New Techniques for Dynamic Photoelasticity, 159–160 (May).

SCHMERDA, J. M.—Vibrations of a Circuit-board Assembly, 316–320 (Oct.).
SERDENGECTI, S.—Strain-gage Technique for Measuring Internal Strains in Artificial Solids, 129–136 (May).
SHALKEY, A. T.—Fatigue Testing of Thin Tapes, 211–214 (July).
SHIMADA, H.—Photoelastic Investigation of Stresses in Bars with Reinforced Semicircular Notches under Bending, 75-80 (March).
SHOULBERG, R. H.—Stress Whitening of Polymer Blends as a Tool for Experimental Stress Analysis, 271–273 (Sept.).
SINWELL, B. R.—High-temperature Tensile and Creep Tester for Wire, 176–180 (June).
SKJELBREIA, L.—Strain-gage Technique for Measuring Internal Strains in Artificial Solids, 129–136 (May).
SLOT, T.—Reflection Polariscope for Photography of Photoelastic Coatings, 41–47 (Feb.).
SMITH, J. O.—Evaluation of High-temperature Strain Gages for Enrico Fermi Reactor Vessel, 81–88 (March).
SORENSON, G.—Low-cycle Fatigue in Small Turbines, 353–358 (Dec.).
SPRINGFIELD, J. F.—Experimental Investigation of Optimum End Supports for a Vibrating Beam, 366–372 (Dec.).
STOLZ, W.—Vibrations of a Circuit-board Assembly, 316—320 (Oct.).
STRESAU, R. H.—Observation and Measurement of Behavior of Porous Materials when Rapidly Compressed, 15–22 (Jan.).
SURLAND, C. C.—Strain Measurements on Hydrostatically Stressed Materials Using Differential-transformer Transducers, 110–114 (April).
SWANSON, J. E.—Experimental Investigation of Stresses in a Ceramic-to-metal Brazed Joint, 289–295 (Oct.).

TIMMONS, JR., M. J.—Compression Tests of Sandwich Panels with Facings at Different Temperatures, 249–256 (Aug.).

WATTER, M.—Stress Analysis of Rocket-motor Case by Birefringent-coating Method, 215–221 (July).
WEYMOUTH, L. J.—Operating Stresses in Buried Pipeline Found by Weldable Strain Gages, 13A-15A (Sept.).*
WHALEY, R. E.—Fatigue and Static Strength of Notched and Unnotched Aluminum-alloy and Steel Specimens, 329–334 (Nov.).
WHITE, F. J.—Accuracy of Thermocouples in Radiant-heat Testing, 204–210 (July).
WHITTIER, J. W.—Hysteretic Damping of Structural Materials Under Biaxial Dynamic Stresses, 321–328 (Nov.).
WILLEM, R. A.—Apparatus for Studying Cyclic Stress–strain and Fatigue at Elevated Temperatures, 48-54 (Feb.).
WOZNEY, G. P.—Resonant-vibration Fatigue Testing, 1-8 (Jan.).
WU, C. T.—Transverse Sensitivity of Bonded Strain Gages, 338–344 (Nov.).

ZANDMAN, F.—Concepts of the Photoelastic Stress Gage, 225–233 (Aug.).
Reinforcing Effect of Birefringent Coatings, 55-64 (Feb.).
Stress Analysis of Rocket-motor Case by Birefringent-coating Method, 215–221 (July).
ZAPEL, E. J.—Method of Determining Residual Stresses in a Biaxial Stress Field, 245–248 (Aug.).

* *Practical Applications* † *Field Report*